

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.**

FEE TRANSMITTAL for FY 2001

Potential fees are subject to annual revision.

TOTAL AMOUNT OF PAYMENT (\$) 395.00

Complete if Known

Application Number	
Filing Date	
First Named Inventor	Jin-Hak Bac, et al.
Examiner Name	
Group Art Unit	
Attorney Docket Number	51876.P201

METHOD OF PAYMENT (check one)

1. ☒ The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:

Deposit Account Number 02-2666

Deposit Account Name Blakely, Sokoloff, Taylor & Zafman LLP

☒ Charge Any Additional Fee Required Under 37CFR 1.16 and 1.17

☐ Applicant claims small entity status See 37 CFR 1.27

2. ☒ Payment Enclosed:
☒ Check ☐ Money Order ☐ Other

FEE CALCULATION

1. FILING FEE

Large Entity	Small Entity	Fee Code	Fee (\$)	Fee Description	Fee Paid
101	710	201	355	Utility filing fee	\$355
106	320	206	180	Design filing fee	
107	490	207	245	Plant filing fee	
108	710	208	355	Reissue filing fee	
114	150	214	75	Provisional filing fee	
SUBTOTAL (1)					\$355.00

2. EXTRA CLAIM FEES

Total Claims	Extra Claims	Fee from below	Fee Paid
15	-20** = 0	X \$9.00 =	0.00
3	-3** = 0	X \$40.00 =	0.00
Multiple Dependent			

Large Entity Small Entity

Fee Code	Fee (\$)	Fee Code	Fee (\$)	Fee Description
103	18	203	9	Claims in excess of 20
102	80	202	40	Independent claims in excess of 3
104	270	204	135	Multiple Dependent claim
109	80	209	40	**Reissue independent claims over original patent
110	18	210	9	**Reissue claims in excess of 20 and over original patent
SUBTOTAL (2)				

**or number of previously paid, if greater; For Reissues, see above


FEE CALCULATION (continued)

3. ADDITIONAL FEE

Large Entity	Small Entity	Fee Code	Fee (\$)	Fee Description	Fee Paid
105	130	205	65	Surcharge - late filing fee or oath	
127	50	227	25	Surcharge - late provisional filing fee or cover sheet	
139	130	139	130	Non-English specification	
147	2,520	147	2,520	For filing a request for ex parte reexamination	
112	920	112	920	Requesting publication of SIR prior to Examiner action	
113	1,840	113	1,840	Requesting publication of SIR after Examiner action	
115	110	215	55	Extension for response within first month	
116	390	216	195	Extension for response within second month	
117	890	217	445	Extension for response within third month	
118	1,390	218	695	Extension for response within fourth month	
128	1,890	228	945	Extension for response within fifth month	
119	310	219	155	Notice of Appeal	
120	310	220	155	Filing a brief in support of an appeal	
121	270	221	135	Request for oral hearing	
138	1,510	138	1,510	Petition to institute a public use proceeding	
140	110	240	55	Petition to revive - unavoidably	
141	1,240	241	620	Petition to revive - unintentionally	
142	1,240	242	620	Utility issue fee (or reissue)	
143	440	243	220	Design issue fee	
144	600	244	300	Plant issue fee	
122	130	122	130	Petitions to the Commissioner	
123	50	123	50	Petitions related to provisional applications	
126	240	126	240	Submission of Information Disclosure Sheet	
581	40	581	40	Recording each patent assignment per property (times number of properties)	40
146	710	246	355	Filing a submission after final rejection (37 CFR 1.129(a))	
149	710	249	355	For each additional invention to be examined (37 CFR 1.129(b))	
179	710	279	355	Request for Continued Examination (RCE)	
169	900	169	900	Request for expedited examination of a design application	
Other fee (specify)					
SUBTOTAL (3)					40.00

*Reduced by Basic Filing Fee Paid

SUBMITTED BY

Typed or Printed Name	Eric S. Hyman, Reg. No. 30,139	Complete (if applicable)
Signature		Reg. Number
Date	10/9/2002	Deposit Account User ID
		02-2666

SYSTEM AND METHOD FOR COOPERATIVE
EDITING OF WEB DOCUMENT

Field of the Invention

5 This invention relates to a system and a method for cooperative editing of a web document using a personal computer (PC), wherein a plurality of editors are coupled to a network, and to a computer-readable record media to store
10 instructions for performing the method; and, more particularly, to a system and a method for cooperative editing of a web document by producing a cooperative editing session having a formation of client/server.

15 Description of the prior Art

An apparatus for cooperative editing of a web document is designed hierarchically, divided into a T.120 protocol stack, the web document controller and a user interface. The T.120
20 protocol stack serves a data transmission and a production and control of cooperative editing session. The web document controller serves to process editing instructions and synchronize the instructions, so that all editors can keep a copy of the same web document. The user interface serves to
25 produce the editing instructions and display a modified web document.

There are some conventional methods for cooperative

editing. The conventional methods include an application program sharing or a shared white board, et al. By the method for cooperative editing with an application program sharing, the application program on the display is shared but only one editor is endowed with an authority to edit. By the method for cooperative editing with a shared white board, an authority is open to all editors, so that text or image can be added/deleted in the cooperative area. By the former method, all the types of media can be edited, however, cooperative editing is performed using a function of sharing the application program, such that the editors cannot work for editing at the same time. By the latter method, it is impossible to edit a text document. Thus, there is a problem that these two methods do not provide enough function for cooperative editing.

Summary of the Invention

It is an object of the present invention to provide a system and a method for cooperative editing a web document, wherein a plurality of editors can edit the web document cooperatively at the same time by executing the system for cooperative editing the web document on each terminal coupled to a network.

It is another object of the present invention to provide a computer-readable record media performing the method.

In accordance with an aspect of the present invention,

there is provided, in a cooperative computer based system for editing a web document including a plurality of clients and a server, the cooperative computer based system including: a) means for generating editing instructions, converting data format of editing instructions to the data format for a message related to editing and transmitting the message related to editing to the server; b) means for determining if the web document can be modified, based on the message related to editing; modifying contents of a copied web document stored in the server in conform to the message related to editing; and transmitting the message related to editing to the plurality of the clients; and c) means for modifying contents of the copied web document stored in each of the plurality of the clients in conform to the message related to editing transmitted from the server.

In accordance with another aspect of the present invention, there is provided, in a cooperative computer based system for editing a web document including a server and a plurality of clients, a computer-readable record media storing instructions for performing a method for editing a web document cooperatively, comprising the steps of: a) at a client among the plurality of the clients, generating editing instructions, converting data format of editing instructions to the data format for a message related to editing and transmitting the message related to editing to the server; b) at the server, determining if the web document can be modified, based on the message related to editing; modifying contents of

a copied web document stored in the server in conform to the message related to editing; and transmitting the message related to editing to the plurality of the clients; and c) modifying contents of the copied web document stored in each of the plurality of the clients in conform to the message related to editing transmitted from the server.

Brief Description of the Drawings

Other objects and aspects of the invention will become apparent from the following description of the embodiments with reference to the accompanying drawings, in which:

Fig. 1 is a pictorial representation of a structure of a cooperative editing system in accordance with the present invention;

Fig. 2A is a pictorial representation of a window when executing a cooperative editing apparatus;

Fig. 2B is another pictorial representation of a window when executing a cooperative editing apparatus;

Fig. 3 is a pictorial representation in a window when executing a cooperative editing apparatus;

Fig. 4 is a schematic diagram illustrating a relationship between a cooperative editing apparatus and T.120 protocol stack;

Fig. 5 is a block diagram illustrating a cooperative apparatus for editing a web document in accordance with the present invention;

Fig. 6 is a flow chart representing a process of commencing cooperative editing according to a method for cooperative editing of a web document in accordance with the present invention;

Fig. 7 is a data structure representing a line in case a web document is converted into an internal form;

Fig. 8 is a block diagram representing a process of processing editing instructions according to a method for a web document editing in accordance with the present invention;

Fig. 9A is a flow chart representing a process of processing editing instructions at a client according to a method for a web document editing in accordance with the present invention;

Fig. 9B is a flow chart representing a process of processing an editing message at a client according to a method for a web document editing in accordance with the present invention; and

Fig. 10 is a flow chart representing a process of processing an editing message at a server according to a method for a web document editing in accordance with the present invention.

Detailed Description of the Preferred Embodiments

As shown in Fig. 1, one server must be in one session, in accordance with a definition that all functions operate in the environment of client/server. A server receives all editing

messages generated in the cooperative editing session and distributes them to editors. A computer in which a web document to be edited is opened first and a session is generated, determines if a server token is in the session. If the server token is available, the computer becomes a server by acquiring the server token.

Generally, the server serves as a server until the session ends. However, in case of changing servers of the session, the server token is handed over to another client. A new server taking over the server token, informs all computers in the session that it has become the new server. Since the server is distinguished from the client by having the server token, it does not happen that more than one server are in one session.

Each editor has an authority to editing within an area assigned to it and no authority beyond the area. Generally, web site managers and web designers, et al., have the authority within wide area assigned to them. On the contrary, sponsors and contents providers have the authority within a little area. A session manager controls the authority to editing, that is, the session manager has the authority to editing within all area of a web document and can assign the authority to the editors. The session manager makes, deletes, and stores files and manages users in the cooperative editing session.

As shown in Fig. 2A, a window of a cooperative editing apparatus is divided into two windows. One is used for WYSIWYG

editing window 21 for editing in the WYSIWYG form, and the other is used for text editing window 22 for editing in the text form. Editing is performed on each window, and when contents are edited on the WYSIWYG editing window, the same edited contents are maintained on the text-editing window. In Fig. 3, a reference numeral 23 denotes the editor's caret used to edit the text.

Referring to Fig. 2B, when executing the cooperative editing apparatus, two windows independently controlled, are generated. For example, a reference numeral 25 denotes a window displaying a web document text and a reference numeral 24 denotes a window displaying a result of rendering the web document. The web document text window 25 is the same as the text-editing window 22. Two windows 25 and 24 are executed by two methods.

One is a method that, as can be seen in Fig. 2B, both a WYSIWIG editing and a text editing can be executed as a single application by executing a WYSIWYG window built-in in the cooperative editing apparatus.

The other is a method that only a result of editing is informed by executing a general web browser. At this time, the WYSIWIG editing is impossible but the text editing is possible. And each time contents of a web document being edited are modified, it is required to inform the web browser of this modification. To do so, it is required to store the web document being edited in the web document form and transmit a message to the web browser, so that the web browser can read

5 this file. At this time, in case of editing a web site directly, it is required to convert a uniform resource locator (URL) included in the web document to an absolute address form commencing with http://, so that the web browser can bring and read pictures from the web site directly. In case of cooperatively editing a web document stored in a local disk, it is required to copy to provide all picture files to a client, so that the client can edit the web document by providing the same environment as the local disk of the server.

10 Naturally, it is possible to use a method of editing the web document on the two windows and then informing the web browser of contents by using two methods mentioned above together.

15 In Fig. 3, a reference numeral 31 denotes an editor's caret and a reference numeral 32 an area which an editor requests. This area 32 is protected from the other editors until the editor or the session manager releases a Lock on the area. Since the editor's authority to editing is limited by line, the editor can do lock and edit the limited lines allowed to be edited. The editor distinguishes the area of his locking from the area of the other editor's locking by a color difference between his text and the other's. A reference numeral 33 denotes a line number used for discerning between each line.

25 In accordance with the present invention, one instant number is given to one line and the server controls this instant number. When a line is added, the server gives this line a new instant number. When a line is deleted, also a

corresponding instant number is deleted. When a line is modified, a corresponding number is not changed.

Referring to Fig. 4, before executing the cooperative editing apparatus, T.120 protocol stack must be executed, because an application program 45 of T.120 operates the cooperative editing apparatus. The T.120 protocol stack for a multimedia data conference includes a multipoint communication service (MCS) 41, a generic conference control (GCC) 42 and a node controller (NC) 43. The MCS 41 transmits data and controls a resource. The GCC 42 controls a conference and a session. The NC 43 generates, maintains and controls the conference by using the T.120 protocol stack. The MCS 41 and the GCC 42 respectively have a standard of T.122/125 and T.124, however, the NC 43 has no standard. A white board, a file transmission, an application program sharing and a chatting are application programs 45 usable during the conference and these programs have a standard of T.126, T.127, T.128 and T.134 respectively.

A standard APE 44 is a method for transmitting data between peer application programs, and has a standard of T.121. The web document cooperative editing apparatus 47 uses a non-standard APE 46, in order to exchange data between apparatus. Modifying the standard APE 44 generates the non-standard APE 46 suitable for cooperative editing. Also, while executing the web document cooperative editing apparatus, T.120 application programs, for example, of a file transmission, a chatting and a white board are usable, such that it is possible to transmit

a file for editing and to exchange an opinion about editing by using these application programs.

Referring to Fig. 5, the web document cooperative editing apparatus 50 includes a user interface module 51, a web document manager module 52 and a user manager module 53. The user interface module 51 visualizes the web document by parsing the web document and provides an editing environment of WYSIWYG form. The web document manager module 52 performs a plurality of functions related to editing. The user manager module 53 controls information of users participating in editing, when the web document cooperative editing apparatus operates as a server.

In more detail, the web document manager module 52 includes the functions of: converting the read web document to an internal form for cooperative editing; analyzing an editing message upon arrival of the editing message and then determining if editing instructions are correct, and performing editing; converting editing instructions to message form in order to transmit the editing instructions to the other editors; and informing the user interface module 51, when contents of the web document are modified.

The user manager module 53 also determines if a user is allowed to access by inspecting his/her ID and password when the user logs in.

Referring to Fig. 6, it is required to execute the T.120 protocol stack and generate a conference before executing the web document cooperative editing apparatus. In some case,

there might be proceeding a plurality of conferences in one computer, and thus it is required to select a conference out of those conferences to thereby participate in the conference at step 601. More concretely describing, since the presently
5 proceeding conferences are distinguished by each name, the editor can participate in the conference by selecting a name of a desired conference.

After selecting the conference, a web document to be edited is selected at step 602. That is, the desired web
10 document is selected in list of web documents available for cooperative editing. And then, the user logs in at step 603. In the cooperative editing, log in serves to distinguish a session manager from a general editor and determine if an editor has an authority to editing the web document.

15 Next, determine if a session for the web document to be edited was already generated at step 604.

If the session was not yet generated, the user generates the session by becoming a server after grabbing a token at step 605. In order to grab the token, the web document
20 cooperative editing apparatus needs to request the T.120 MCS of the token. After loading the web document at step 606, the logic flow proceeds to step 607 to start cooperative editing.

If the session was already generated, the logic flow proceeds to the step 607 to start cooperative editing after
25 receiving the web document from the server as a client at step 608. Upon receiving the web document from the server, information of the web document location, editors' authority

to editing and a Lock is transmitted. For, locating the web document brings pictures, et al., from a uniform resource locator (URL) in the web document. In case of receiving the web document stored in the hard disk, the editor receives
5 picture files, et al., included in the web document and stores them in the editor's local disk.

Referring to Fig. 7, the web document cooperative editing apparatus converts the web document to a doubly linked list for managing it. One node in the list is configured to
10 represent one line of the web document and information necessary for editing is stored in each node.

Hereinafter, a process of converting the web document to the internal form will be described. The process happens only in the server, and clients receive the web document, a form of
15 which was converted into the list in the server. By using the web document converted into the list, all editors participating in the session can maintain the same contents.

In order to perform as above, after reading the web document and dividing it by line, the apparatus stores
20 contents of the line in a contents field 74 of the node.

Second, after numbering each line, the apparatus stores a number assigned to the line in the line number field 71. Each line is distinguished by each number in corresponding line number fields and is maintained as the same to all clients
25 participating in the cooperative editing.

Third, user ID fields 76 of editors having authority to editing this node are stored in the form of list. A place of

storage is a user ID list field 75. A user unregistered in the user ID list field 75 cannot edit this node. In order to register in the user ID list field 75, the unregistered user needs to request the session manager of registration. The request can be made before editing or while editing. In case this list is in a NULL state, all editors have authority to editing.

Fourth, a previous field 72 and a next field 73 contain value of a previous node and a next node, respectively.

Fifth, the other fields not described above are set to initial value of "0".

Upon completing the node list, cooperative editing proceeds. If a certain editor edits, a user ID of the editor who edited this node is stored in the user ID field 76 of corresponding node. If this field has a value of "0", contents of a file have never been modified since the file was read for the first time.

There is a case that an editor intending to edit this node requests Lock, so that the other editors cannot edit. In this case, the user ID of the editor who requested the lock is stored in a reserved user ID field 77. Ones who can request the lock are just editors registered in the user ID list field 75 and a manager. If the lock request is released, the reserved user ID field 77 has a value of "0".

Referring to Fig. 8, supposing that a client 82 edited a portion of the web document, a user interface module 82b inspects a keyboard input or a mouse input of the editor,

converts the inputs through the mouse or keyboard to editing instructions and then transmits them to a web document manager module 82a. At this time, the user interface module 82b does not show modified contents on the display.

5 The web document manager module 82a determines if the received instructions are correct, and if correct, converts the instructions to a message and transmits a server 81 the converted message. The web document manager module 81A in the server 81 receives the converted message, and determines if
10 the editor has an authority to editing and if the other editor requested Lock. If it is confirmed that the editor has the authority, the web document manager module 81B modifies contents of the web document and informs a user interface module 81a that the contents were modified. Then, the user
15 interface module 81A of the server 81 shows the contents on the display in accordance with the modified contents.

Continuously, the web document manager module 81B informs the user interface module 81A of the contents modification and converts the modified contents to a message and transmits a
20 converted message to clients 82 and 83. After receiving the converted message from the web document manager module 81b of the server 81, document manager modules 82a and 83A of the clients 82 and 83 modify their copies of the web document respectively in accordance with the received message, and
25 informs user interface modules 82b and 83B that contents were modified. Then, finally, the client 82 performs showing the modified contents on its display.

In this case, there is a possibility of a little time delay between the client's editing and confirming actually the edited contents. There is a difference in the time delay, depending on a state of network and a hardware performance of server/client system.

Referring to Fig. 9A, in accordance with the present invention, editing instructions of the web document includes a modification, an insert, a deletion, a division and a combination.

When a user orders an instruction for modifying in order to edit a specific area in the web document 901, this instruction is transmitted to a web document manager module. At this time, a line number, modified contents and the user ID are transmitted. After receiving this instruction, the web document manager module determines if modifying is possible 902. If the others performed Lock or the user has no authority to editing, this instruction will not be performed. If modifying is possible, the client converts the received instruction to a message at step 903 and transmits the converted to the server at step 904 and gets in a stand-by mode at step 905. If modifying is not possible, the client gets in the stand-by mode immediately.

Referring to Fig. 9B, if the client receives a modified message including line number, modified contents and a user ID, it compares the user ID included in the message with My User ID at step 912. Here, the My User ID denotes the ID of the user him/herself and is used to be compared with the user ID

contained in the modified message. If the user ID is not equal to My User ID, the client determines if a node of the same line number is in the contents list that the client retains at step 913.

Continuously, after modifying contents of the node at step 914, the client informs the user interface module that the contents were modified at step 915. That is, the user interface can modify even contents of its own editing, only when an edited message is received from the server. There are two lists that the user manages. One is an editing list, in which he stores the contents of his editing, in sequence and performs a function of undoing. And the other one is a contents list. The contents list is a doubly linked list of the nodes described in Fig. 7 and systems of all editors hold the same contents in their contents lists.

A way of processing the other instructions is similar to that of modifying. In case of inserting, the client searches a node of the same line number in the list and inserts a node next to the searched node. In case of deletion, the client searches a node of the same line number, and deletes the searched node.

If the user ID is the same as My User ID, it means that the message is the one that the editor itself transmits. In this case, after adding these modified contents to the editing list at step 916, the logic flow proceeds to the step 913 of searching a node of the same line number in the contents list.

As shown in the Fig. 10, a server handles a message

received from a client. When receiving a modified message including a line number, modified contents and a user ID from the client at step 101, the server searches a corresponding node in the contents list at step 102.

5 And, it determines if this node is in a state of Lock at step 103. If the node is not in the state of the lock, the server determines if the user has an authority to editing at step 104, and if not, the server does not handle the modified message, otherwise the server modifies the contents at step 105 and transmits the modified contents to the client at step 106. Then, the user interface is informed of the modified contents, and the contents are shown on the display at step 107.

10 If the node is in the state of the lock, the server determines if the user, who requests modification, requested the lock at step 108, and if not, the server does not handle the modified message, otherwise the logic flow proceeds to the step 104 where the server determines if the user has an authority to editing.

15 Although the preferred embodiments of the invention have been disclosed for illustrative purpose, those skilled in the art will appreciate that various modifications, additions, and substitutions are possible, without departing from the scope and spirit of the invention as disclosed in the accompanying claims.

20

25

What is claimed is:

1. A cooperative computer based system for editing a web document including a plurality of clients and a server, the
5 cooperative computer based system comprising:

a) means for generating editing instructions, converting editing instructions to a message related to editing and transmitting the message related to editing to the server;

b) means for determining if the web document can be
10 modified; modifying contents of a copied web document stored in the server in conform to the message related to editing; and transmitting the message related to editing to the plurality of the clients; and

c) means for modifying contents of the copied web
15 document stored in each of the plurality of the clients in conform to the message related to editing transmitted from the server.

2. The cooperative computer based system as recited in
20 claim 1, wherein each of the clients includes a user interface module and a document manager module and the server includes a user interface module, a document module and a user manager module.

25
3. The cooperative computer based system as recited in claim 2, wherein the user interface module of the client

includes:

when at least one client edits the web document, means for converting data received from a user to editing instructions; and

5 means for transmitting the editing instructions to the document manager module of the client.

4. The cooperative computer based system as recited in claim 2, wherein the document manager module of the client
10 includes:

means for determining if the editing instructions are correct;

means for converting the editing instructions to a message related to editing which can be received by the
15 plurality of the clients, if the editing instructions are correct; and

means for transmitting the message related to editing to the server.

20 5. The cooperative computer based system as recited in claim 2, wherein the document manager module of the server includes:

means for receiving the message related to editing from the client;

25 means for determining if a lock is requested for the web document;

means for determining if the user has an authority to

editing the web document;

means for modifying contents of the web document as the user edited, if the user has an authority to editing the web document;

5 means for informing the user interface module of the server that it is completed to modify the contents of the web document;

means for converting the modified contents of the web document to a message related to editing to be transmitted to the plurality of the clients; and

means for transmitting the message related to editing to each document manager module of the clients.

6. The cooperative computer based system as recited in claim 2, wherein the user interface module of the server includes means for displaying the modified contents of the web document.

7. The cooperative computer based system as recited in claim 2, wherein the user manager module of the server includes:

means for managing information about users to participate in cooperative editing; and

means for determining if the user is allowed to edit by checking an identification and a password of the user, when the user logs in.

8. The cooperative computer based system as recited in claim 4, wherein each document manager module of the plurality of the clients includes:

means for modifying each copied web document stored in the plurality of the clients in conform to the modified contents, based on the message related to editing transmitted from the document manager module of the server; and

means for informing each user interface module of the plurality of the clients that it is completed that the contents of each copied web document are modified.

9. The cooperative computer based system as recited in claim 3, wherein each user interface module of the plurality of the clients includes means for displaying the modified contents, upon being informed that it is completed that the contents of each copied web document are modified.

10. A method for cooperative editing of the web document in a cooperative computer based system including a server and a plurality of clients, the method comprising the steps of:

a) at a client, generating editing instructions, converting editing instructions to a message related to editing and transmitting the message related to editing to the server;

b) at the server, if the web document can be modified, modifying contents of a copied web document stored in the server in conform to the message related to editing; and

transmitting the message related to editing to the plurality of the clients; and

c) modifying contents of the copied web document stored in each of the plurality of the clients in conform to the message related to editing transmitted from the server.

11. The method as recited in claim 10, wherein the step a) includes the steps of:

a1) at the client, determining if it is possible to modify the web document, based on the editing instructions;

a2) disregarding the editing instructions if a portion of the web document to be modified is requested to be in a lock state by other users or the user has no authority to edit the document; and

a3) if the portion of the web document to be modified is not requested to be in the lock state by other users and the user has the authority to editing, converting the editing instructions to the message related to editing and transmitting the message related to editing to the server.

12. The method as recited in claim 11, wherein a line number, modified contents and a user identification (ID) are included in the message related to editing.

13. The method as recited in claim 12, wherein the step b) includes the steps of:

b1) searching a node having a line number equal to the

line number included in the message related to editing from contents list of the server;

b2) determining if the node is in the lock state;

b3) if the node is not in the lock state, determining if the user has the authority to editing, and otherwise, determining if the lock is requested by the user who modified the contents;

b4) if the user has the authority to editing, modifying the contents included in the node and then informing a user interface module of the server that the contents are modified;

b5) converting the modified contents to the message related to editing and transmitting the message related to editing to the plurality of the clients;

b6) if the lock is requested by the user who modified the contents, going to the step b3); and

b7) disregarding the message related to editing if the lock is not requested by the user who modified the contents or if the user has no authority to editing.

14. The method as recited in claim 13, wherein the step c) includes the steps of:

c1) determining if a my user ID indicating an ID of the user who modified the contents is equal to the user ID contained in the message related to editing received from the server;

c2) if the my user ID is not equal to the user ID, searching the node having a line number equal to the line

number from the contents list of each of the plurality of the clients;

c3) modifying contents included in the node and informing the user interface module of each of the plurality of the clients that the contents are modified;

c4) at the user interface module of each of the plurality of the clients, displaying the modified contents; and

c5) if a my user ID is equal to the user ID, storing the modified contents in an editing list included in the client of the user who modified the contents and then going to the step c2).

15. A computer-readable record media storing instructions for performing a method for editing a web document cooperatively in a cooperative computer based system including a server and a plurality of clients, the method comprising the steps of:

a) at a client among the plurality of the clients, generating editing instructions, converting editing instructions to a message related to editing and transmitting the message related to editing to the server;

b) at the server, determining if the web document can be modified, based on the message related to editing; modifying contents of a copied web document stored in the server in conform to the message related to editing; and transmitting the message related to editing to the plurality of the clients; and

Abstract of the Disclosure

In a cooperative computer based system for editing a web document including a plurality of clients a server, the cooperative computer based system includes means for generating editing instructions, converting editing instructions to a message related to editing and transmitting the message related to editing to the server; means for determining if the web document can be modified, based on the message related to editing; modifying contents of a copied web document stored in the server in conform to the message related to editing; and transmitting the message related to editing to the plurality of the clients; and means for modifying contents of the copied web document stored in each of the plurality of the clients in conform to the message related to editing transmitted from the server.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re the application of:)
Jin-Hak Bae, Jae-Young Lee, Doo-Hyeon Kim and Seung-Ku Hwang)
SYSTEM AND METHOD FOR COOPERATIVE EDITING OF WEB DOCUMENT)

SUBMISSION OF FORMAL DRAWINGS

Assistant Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

Submitted herewith are Figures 1-10 in connection with the above-identified application.

Respectfully submitted,

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP

Dated: 10/19/2004

Eric S. Hyman Reg. No. 30,139

12400 Wilshire Boulevard, Seventh Floor
Los Angeles, California 90025
(310) 207-3800

FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

71	72	73	74	75	76	77
LINE NUMBER FIELD	PREVIOUS FIELD	NEXT FIELD	CONTENTS FIELD	USER ID LIST FIELD	USER ID FIELD	RESERVED ID FIELD

8




FIG. 9A




FIG. 9B





FIG. 10



000001" 90459960

I hereby appoint BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN, a firm including: Bradley J. Berezna, revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole/First Inventor BAE, JIN-HAK


Inventor's Signature *Jinbak Bae* Date Sep. 21, 2000

Residence TAEJON (City, State) Citizenship REPUBLIC OF KOREA (Country)

Post Office Address #105-1406 CHOWON-APT., MANNYUN-DONG, SEO-GU, TAEJON, KOREA

Full Name of Second/Joint Inventor LEE, JAE-YOUNG
 Inventor's Signature Jae Young Lee Date Sep 21, 2009
 Residence TAESON (City, State) Citizenship REPUBLIC OF KOREA (Country)
 Post Office Address #401-902 EXPO-APT., JEONMIN-DONG, YUSONG-GU, TAEJON, KOREA

Full Name of Third/Joint Inventor KIM, DOO-HYEON

Inventor's Signature  Date Sep. 21, 2000

Residence TAEJON (City, State) Citizenship REPUBLIC OF KOREA (Country)

Post Office Address #133-1502 HANBIT-APT., EOEUN-DONG, YUSONG-GU, TAEJON, KOREA

Full Name of Fourth/Joint Inventor HWANG, SEUNG-KU

Inventor's Signature *Seungku Hwang* Date Sep 21, 2000

Residence TAEJON (City, State) Citizenship REPUBLIC OF KOREA (Country)

Post Office Address #117-1003 HANBIT-APT, EOEUN-DONG, YUSONG-GU, TAEJON, KOREA

Full Name of Fifth/Joint Inventor _____

Inventor's Signature _____ Date _____

Residence _____ Citizenship _____

(City, State) (Country)

Post Office Address _____